



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/843,629	04/26/2001	Mototsugu Abe	09792909-5003	9203	
26263 7	26263 7590 - 09/01/2005			EXAMINER	
	HEIN NATH & ROS	VENT, JAMIE J			
P.O. BOX 061080 WACKER DRIVE STATION, SEARS TOWER			ART UNIT	PAPER NUMBER	
CHICAGO, IL 60606-1080		2616			

DATE MAILED: 09/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Analization No.	Amalianata			
		Application No.	Applicant(s)			
Office Action Summary		09/843,629	ABE ET AL.			
Omec Actio	n oannary	Examiner	Art Unit			
The MAILING DA	TF -64bis - commission in the commission of the	Jamie Vent	2616			
Period for Reply	TE OF UNS COMMUNICATION app	ears on the cover sheet with the c	orrespondence address			
THE MAILING DATE OI - Extensions of time may be available after SIX (6) MONTHS from the - If the period for reply specified and the second of the second o	THIS COMMUNICATION. lable under the provisions of 37 CFR 1.13 mailing date of this communication. above is less than thirty (30) days, a reply d above, the maximum statutory period w extended period for reply will, by statute, elater than three months after the mailing	IS SET TO EXPIRE 3 MONTH(36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE date of this communication, even if timely filed	nely filed is will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1) Responsive to cor	mmunication(s) filed on 26 Ap	oril 2001.	•			
2a) This action is FIN	AL . 2b)⊠ This	action is non-final.				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4a) Of the above of 5) ☐ Claim(s) is. 6) ☑ Claim(s) <u>1-54</u> is/a 7) ☐ Claim(s) is.	re rejected.	vn from consideration.				
Application Papers						
10) The drawing(s) file Applicant may not re Replacement drawi	equest that any objection to the ng sheet(s) including the correct	r. ☑ accepted or b) ☐ objected to drawing(s) be held in abeyance. Selion is required if the drawing(s) is obtainer. Note the attached Office	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. §	119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	•					
	ent Drawing Review (PTO-948) ement(s) (PTO-1449 or PTO/SB/08)	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:				

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-54 are rejected under 35 U.S.C. 102(b) as being unpatentable by Nafeh (US 5,343,251).

[claims 1 & 27]

In regard to Claims 1 and 27, Nafeh discloses a signal processing device and method comprising:

- a first signal section detecting means for detecting a first signal section
 from an input signal including at least the first signal section and the
 remaining signal section on a time division basis (Figure 1a shows the
 detecting of the first signal section as further described in Column 2 Lines
 40+);
- a first signal extracting means for extracting the signal in the first signal section from the input signal in accordance with a result of the detection by the first signal section (Column 2 Lines 63+ through Column 3 Lines 1-16 describes the extracting of the signal as a result of detecting the first signal section); and

 a recording means for recording the extracted first signal (Figure 1a shows the recording means in VCR 20).

[claims 2 & 28]

In regard to Claims 2 and 28, Nafeh discloses a signal processing device and method further comprising a characteristic value extracting means for extracting the characteristic values characterizing the first signal from the extracted first signal, wherein said recording means records the characteristic values (Column 3 Lines 20-57 describes the processing the characteristic values that are extracted from the signal).

[claims 3 & 29]

In regard to Claims 3 and 29, Nafeh discloses a signal processing device and method wherein said first signal section detecting means detects said first signal section from said input signal on the basis of a characteristic pattern of the signal appearing in said input signal at predetermined time intervals and a characteristic value showing the probability of the first signal (Column 5 Lines 30-67 through Column 6 Lines 1-12 describes the detecting of the first signal section on the basis of characteristic patterns and wherein the probability of the characteristic value is calculated).

[claims 4 & 30]

In regard to Claims 4 and 30, Nafeh discloses a signal processing device and method wherein said first signal section detecting means detects said first signal section on the basis of predetermined guide information which is prepared corresponding to said input signal (Column 3 Lines 20-57 describes the basis of the prepared corresponding to the input signal).

Art Unit: 2616

[claims 5 & 31]

In regard to Claims 5 and 31, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is amplitude of the signal in the first signal section (Column 3 Lines 34-36 and Column 3 Lines 60+ describes the signal processing device wherein the changes in amplitude are measured between signals/segments).

[claims 6 & 32]

In regard to Claims 6 and 32, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is a spectrum of the signal in the first signal section (Column 3 Lines 37-48 describes the spectrum of the signal wherein the change between signals/segments are determined).

[claims 7 & 33]

In regard to Claims 7 and 33, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is a linear prediction coefficient of the signal in the first signal section (Column 5 Lines 52-67 describes the linear prediction coefficient of the signal in the first section).

[claims 8 & 34]

In regard to Claims 8 and 34, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is a histogram of a predetermined component of the signal in the first signal section (Column 3 Lines 20-56 describes the components that comprise a histogram wherein the predetermined component of the signal).

Page 5

Art Unit: 2616

[claims 9, 10, 35, & 36]

In regard to Claims 9, 10, 35, and 36, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is mean value and difference of the predetermined component of the signal in the first signal section (Column 6 Lines 6-50 describes the calculation of the average value of the predetermined components).

[claims 11 & 37]

In regard to Claims 11 and 37, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is the number of changes of the state of the signal in the first signal section (Column 6 Lines 40+ describes the characteristic value wherein the first signal is the number of changes that take place between segments).

[claims 12 & 38]

In regard to Claims 12 and 38, Nafeh discloses a signal processing device and method wherein said characteristic value characterizing said first signal is the time of the change of the state of the signal in the first signal section (Column 5 Lines 12-27 describes the signal processing wherein the time change determines the state of the signal).

[claims 13 & 39]

In regard to Claims 13 and 39, Nafeh discloses a signal processing device and method further comprising:

Application/Control Number: 09/843,629

Art Unit: 2616

an index information extracting means for extracting information to be
used as an index representing said recorded first signal (Figure 1a shows
the extraction of index information which represents the first signal as
further described in Column 2 Lines 55-63 and Column 3 Lines 20-57);

Page 6

a display means for displaying said extracted index information (Figure 6 shows the displaying of extracting information).

[claims 14 & 40]

In regard to Claims 14 and 40, Nafeh discloses a signal processing device and method wherein said index information is an edited signal obtained by editing said first signal (Column 1 Lines 15-55 describes the editing of the first signal).

[claims 15, 16, 40, & 41]

In regard to Claims 15, 16, 40, and 41, Nafeh discloses a signal processing device abd method wherein said edited signal obtained by editing said first signal comprises a set of signals at the time when the state of said first signal changes which represent the start or ending part of the signals (Column 5 Lines 12-27 describes the timing of the segments/signals which comprises the various signals).

[claims 17 & 42]

In regard to Claims 17 and 42, Nafeh discloses a signal processing device and method wherein said index information extracting means extract the signal at a time when the state of said first signal changes (Figure 1a shows the extracting of the signal at the

Art Unit: 2616

time when the state of the first signal changes as further described in Column 3 Lines 20-56).

[claims 18 & 43]

In regard to Claims 18 and 43, Nafeh discloses the signal processing device and method further comprising a comparing means for comparing characteristic values respectively characterizing different first signals (Column 5 Lines 30+ describes the comparing of characteristic values that characterize different first signals).

[claims 19 & 44]

In regard to Claims 19 and 44, Nafeh discloses the signal processing device and method wherein said comparing means is detects agreement/disagreement of the first signals in a part of the section or in the entire section by comparing said characteristic values (Column 6 Lines 25+ describes the comparing of te first signals in a part of the section or entire section that compares to the characteristic values).

[claims 20 & 45]

In regard to Claims 20 and 45, Nafeh discloses the signal processing device and method wherein said comparing means detects the degree of similarity of the first signals in a part of the section or in the entire section by comparing said characteristic values (Column 6 Lines 6+ describes the detection of similarity between the first segment and the entire segment).

[claims 21 & 46]

In regard to Claims 21 and 46, Nafeh discloses the signal processing device and method wherein said comparing means performs the comparing operation on a basis of Application/Control Number: 09/843,629

Page 8

Art Unit: 2616

the distance as determined by using a predetermined distance scale between vectors formed at least one of the amplitude of the signal in the first signal section, the spectrum of the signal in the first signal section, the linear prediction coefficient of the signal in the first signal section, the histogram of a predetermined component of the signal in the first signal section, the mean value of the predetermined component of the signal in the first signal section, the difference in the predetermined signal component of the signal in the first signal section, the number of changes in the state of the signal in the first signal section and the time of a change in the state of the signal in the first signal section (Column 3 Lines 20-56 describes the components that comprise a histogram wherein the predetermined component of the signal).

[claims 22 & 47]

In regard to Claims 22 and 47, Nafeh discloses a signal processing device and method further comprising:

- an index information specifying means for specifying desired index information from said displayed plurality of pieces of index information
 (Figure 1a shows the extraction of index information which represents the first signal as further described in Column 2 Lines 55-63 and Column 3
 Lines 20-57); and
- a retrieving means for retrieving the first signal corresponding to said specified index information (Column 7 Lines 20-40 describes the retrieving means used for retrieving specified index information).

[claims 23, 24, 48, 49, & 50]

Application/Control Number: 09/843,629

Art Unit: 2616

In regard to Claims 23, 24, 48, 49, and 50 Nafeh discloses the signal processing device

and method further comprising:

• a retrieving means for retrieving the first signal substantially agreeing with

said first signal from said recording means, using said first signal in a part

Page 9

of the section or in the entire section or a characteristic value

characterizing the first signal as retrieving condition (Column 7 Lines 20-

40 describes the retrieving means used for retrieving specified index

information)...

[claims 25, 26, 51, & 52]

In regard to Claims 25, 26, 51, and 52, Nafeh discloses the signal processing device

and method further comprising: a measuring means for measuring the number of times

and/or the hours of appearances of a same first signal (Figure 7 Lines 45-57 describes

the measuring of the number of occurances that a segment occurs within the signal).

[claims 53 & 54]

In regard to Claims 53 and 54, Nafeh discloses a signal processing device and method

wherein said input signal comprises a video signal and/or an audio signal and said first

signal covers a commercial message section (Column 7 Lines 30-57 describes that the

first signal covers a commercial message section).

Conclusion

The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Yankowski (US 6147940);

Art Unit: 2616

Freeman et al (US 5103341).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jamie Vent whose telephone number is 571-272-7384. The examiner can normally be reached on 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Groody can be reached on 571-272-7950. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jamie Vent 08/24/05